*Brain Research*, 597 (1992) 358–360
Elsevier Science Publishers B.V.

# Author Index

Adams, F.S., Schön, H., Schwarting, R.K.W. and Huston, J.P.
Behavioral and neurochemical indices of barrel cortex–basal ganglia interaction (597) 114
Agid, Y., see Michel, P.P. (597) 233
Ahmed, S.H., see Cador, M. (597) 304
Akaike, N., see Ueno, S. (597) 176
Alger, B.E., see Doerner, D. (597) 30
Alkon, D.L., see Schreurs, B.G. (597) 99
Angus-Leppan, H., see Lambert, G.A. (597) 321

Beninger, R.J., Ingles, J.L., Mackenzie, P.J., Jhamandas, K. and Boegman, R.J.
Muscimol injections into the nucleus basalis magnocellularis of rats: selective impairment of working memory in the double Y-maze (597) 66
Berrino, L., see Maione, S. (597) 166
Bertini, L.T., see Kiss, J.Z. (597) 353
Bodnar, R.J., see Kiefel, J.M. (597) 331
Boegman, R.J., see Beninger, R.J. (597) 66
Boers, P.M., see Lambert, G.A. (597) 321
Bray, G.A., see Yoshimatsu, H. (597) 298
Briggs, C.A., see Sheng, H. (597) 343

Cador, M., Ahmed, S.H., Koob, G.F., Le Moal, M. and Stinus, L.
Corticotropin-releasing factor induces a place aversion independent of its neuroendocrine role (597) 304
Callahan, M.F., Thore, C.R., Sundberg, D.K., Gruber, K.A., O'Steen, K. and Morris, M.
Excitotoxin paraventricular nucleus lesions: stress and endocrine reactivity and oxytocin mRNA levels (597) 8
Caputo, C.B., Sygowski, L.A., Scott, C.W. and Sobel, I.R.E.
Role of tau in the polymerization of peptides from $\beta$-amyloid precursor protein (597) 227
Carrasco, T., see De La Cruz, J.P. (597) 250
Castiglia, C.M., see Foster, M.C. (597) 181
Chang, T.K. and Cheng, J.-T.
Inhibitory effect of xylamine on the uptake of [$^3$H]norepinephrine into primary astrocyte cultures (597) 162
Cheng, J.-T., see Chang, T.K. (597) 162
Choate, J.V.A. and Resko, J.A.
Androgen receptor immunoreactivity in intact and castrate guinea pig using antipeptide antibodies (597) 51
Cooper, M.L., see Kiefel, J.M. (597) 331
Coscina, D.V. and De Rooy, E.C.H.
Effects of intracisternal vs. intrahypothalamic 5,7-DHT on feeding elicited by hypothalamic infusion of NE (597) 310
Crain, S.M., see Shen, K.-F. (597) 74
Crews, F.T., see Pontzer, N.J. (597) 189

DeJesus, O.T., Holden, J.E., Endres, C., Murali, D., Oakes, T.R., Shelton, S., Uno, H., Houser, D., Freund, L., Perlman, S.B. and Nickles, R.J.
Visualization of dopamine nerve terminals by positron tomography using [$^{18}$F]fluoro-$\beta$-fluoromethylene-*m*-tyrosine (597) 151
De La Cruz, J.P., Villalobos, M.A., Carrasco, T., Smith-Agreda, J.M. and Sánchez de la Cuesta, F.
The pyrimido-pyrimidine derivative RA-642 protects from brain injury in a combined model of permanent focal ischemia and global ischemia reperfusion (597) 250
De Rooy, E.C.H., see Coscina, D.V. (597) 310
Devor, M., see Matzner, O. (597) 92
Doerner, D. and Alger, B.E.
Evidence for hippocampal calcium channel regulation by PKC based on comparison of diacylglycerols and phorbol esters (597) 30
Doron, D.A., McCarron, R.M., Heldman, E., Sirén, A.-L., Spatz, M., Feuerstein, G., Pollard, H.B. and Hallenbeck, J.M.
Comparison of stimulated tissue factor expression by brain microvascular endothelial cells from normotensive (WKY) and hypertensive (SHR) rats (597) 346

Eckel, L.A., see Watson, N.V. (597) 16
Egawa, M., see Yoshimatsu, H. (597) 298
Endres, C., see DeJesus, O.T. (597) 151

Feuerstein, G., see Doron, D.A. (597) 346
Flügge, G., Jöhren, O. and Fuchs, E.
[$^3$H]Rauwolscine binding sites in the brains of male tree shrews are related to social status (597) 131
Foster, M.C., Castiglia, C.M. and Saubermann, A.J.
Effects of serotonin and carbachol on glial and neuronal rubidium uptake in leech CNS (597) 181
Freund, L., see DeJesus, O.T. (597) 151
Fuchs, E., see Flügge, G. (597) 131
Fukunaga, K., see Yamakawa, T. (597) 220

Gold, P.E., see Ragozzino, M.E. (597) 241
Goris, R.C., see Kobayashi, S. (597) 350
Greenberg, D.A., see Lustig, H.S. (597) 148
Gruber, K.A., see Callahan, M.F. (597) 8

Hallenbeck, J.M., see Doron, D.A. (597) 346
Hamada, T., see Shibata, S. (597) 257
Hamilton, M.E., Mele, A. and Pert, A.
Striatal extracellular dopamine in conscious vs. anesthetized rats: effects of chloral hydrate anesthetic on responses to drugs of different classes (597) 1
Hargreaves, E.L., see Watson, N.V. (597) 16
Heldman, E., see Doron, D.A. (597) 346
Hermann, A., see Kerschbaum, H.H. (597) 339
Higashida, H., see Yamakawa, T. (597) 220
Hoffman, G.E., see Pezzone, M.A. (597) 41
Holden, J.E., see DeJesus, O.T. (597) 151
Honrubia, V., see Lee, W.S. (597) 269
Honrubia, V., see Newman, A. (597) 278
Houser, D., see DeJesus, O.T. (597) 151
Hughes, M.L., see Sheng, H. (597) 343
Huston, J.P., see Adams, F.S. (597) 114

Ingles, J.L., see Beninger, R.J. (597) 66
Ishibashi, H., see Ueno, S. (597) 176
Ito, H., see Kobayashi, S. (597) 350

Jhamandas, K., see Beninger, R.J. (597) 66
John, S.M., see Stone, E.A. (597) 144
Jöhren, O., see Flügge, G. (597) 131
Joshi, P.G. and Mishra, S.
Galactocerebroside mediates $Ca^{2+}$ signaling in cultured glioma cells (597) 108

Kainz, V., see Kerschbaum, H.H. (597) 339
Kayahara, T., see Kondo, Y. (597) 155
Kerschbaum, H.H., Kainz, V. and Hermann, A.
Sarcoplasmic calcium-binding protein-immunoreactive material in the central nervous system of the snail, *Helix pomatia* (597) 339
Kiefel, J.M., Cooper, M.L. and Bodnar, R.J.
Serotonin receptor subtype antagonists in the medial ventral medulla inhibit mesencephalic opiate analgesia (597) 331
Kishida, R., see Kobayashi, S. (597) 350
Kiss, J.Z. and Bertini, L.T.
The CRF neurosecretory vesicle: vasopressin-dependent changes in vesicle size after adrenalectomy (597) 353
Kobayashi, S., Kishida, R., Goris, R.C., Yoshimoto, M. and Ito, H.
Visual and infrared input to the same dendrite in the tectum opticum of the python, *Python regius*: electron-microscopic evidence (597) 350
Kondo, Y., Takada, M., Kayahara, T., Yasui, Y., Nakano, K. and Mizuno, N.
Single retinal ganglion cells sending axon collaterals to the bilateral superior colliculi: a fluorescent retrograde double-labeling study in the Japanese monkey (*Macaca fuscata*) (597) 155
Koob, G.F., see Cador, M. (597) 304
Ksiezak-Reding, H., Liu, W.-K. and Yen, S.-H.
Phosphate analysis and dephosphorylation of modified tau associated with paired helical filaments (597) 209
Kuno, M., see Nakamura, F. (597) 124

Lambert, G.A., Lowy, A.J., Boers, P.M., Angus-Leppan, H. and Zagami, A.S.
The spinal cord processing of input from the superior sagittal sinus: pathway and modulation by ergot alkaloids (597) 321
Lee, W.-S., see Pezzone, M.A. (597) 41
Lee, W.S., Newman, A. and Honrubia, V.
Afferent innervation of the vestibular nuclei in the chinchilla I. A method for labeling individual vestibular receptors with horseradish peroxidase (597) 269
Lee, W.S., see Newman, A. (597) 278
Le Moal, M., see Cador, M. (597) 304
Leyva, J., see Maione, S. (597) 166
Liu, W.-K., see Ksiezak-Reding, H. (597) 209
Lowy, A.J., see Lambert, G.A. (597) 321
Lustig, H.S., Von B. Ahern, K. and Greenberg, D.A.
Antiparkinsonian drugs and in vitro excitotoxicity (597) 148

Mackenzie, P.J., see Beninger, R.J. (597) 66
Madamba, S., see Pontzer, N.J. (597) 189
Maione, S., Berrino, L., Vitagliano, S., Leyva, J. and Rossi, F.
Interactive role of L-glutamate and vasopressin, at the level of the PAG area, for cardiovascular tone and stereotyped behaviour (597) 166
Matsuura, S., see Nakamura, F. (597) 124
Matzner, O. and Devor, M.
$Na^+$ conductance and the threshold for repetitive neuronal firing (597) 92
McCarron, R.M., see Doron, D.A. (597) 346
Mele, A., see Hamilton, M.E. (597) 1
Michel, P.P. and Agid, Y.
The glutamate antagonist, MK-801, does not prevent dopaminergic cell death induced by the 1-methyl-4-phenylpyridinium ion ($MPP^+$) in rat dissociated mesencephalic cultures (597) 233
Mikkelsen, J.D., Panula, P. and Møller, M.
Histamine-immunoreactive nerve fibers in the rat pineal gland: evidence for a histaminergic central innervation (597) 200
Miller, D.W., see Pierce, R.C. (597) 138
Mishra, S., see Joshi, P.G. (597) 108
Miyamoto, E., see Yamakawa, T. (597) 220
Mizuno, N., see Kondo, Y. (597) 155
Møller, M., see Mikkelsen, J.D. (597) 200
Morris, M., see Callahan, M.F. (597) 8
Murad, F., see Sheng, H. (597) 343
Murali, D., see DeJesus, O.T. (597) 151

Nakamura, F., Kuno, M. and Matsuura, S.
Glutamate-induced inhibition of paired pulse facilitation of monosynaptic excitatory post-synaptic potentials in frog spinal motoneurons (597) 124
Nakano, K., see Kondo, Y. (597) 155
Newman, A., Suárez, C., Lee, W.S. and Honrubia, V.
Afferent innervation of the vestibular nuclei in the chinchilla. II. Description of the vestibular nerve and nuclei (597) 278
Newman, A., see Lee, W.S. (597) 269
Nickles, R.J., see DeJesus, O.T. (597) 151

Oakes, T.R., see DeJesus, O.T. (597) 151
Obara, S., see Ogura, T. (597) 84
Ogawa, M., see Tokunaga, A. (597) 170
Ogura, T. and Obara, S.
The membrane properties and Ca-currents of the trigeminal root ganglion cells in primary culture of the marine catfish, *Plotosus*, studied with whole-cell recordings (597) 84
Ono, K., see Tokunaga, A. (597) 170
Ono, T., see Tokunaga, A. (597) 170
O'Steen, K., see Callahan, M.F. (597) 8

Panula, P., see Mikkelsen, J.D. (597) 200
Parker, M.E., see Ragozzino, M.E. (597) 241
Penava, D., see Watson, N.V. (597) 16
Perlman, S.B., see DeJesus, O.T. (597) 151
Pert, A., see Hamilton, M.E. (597) 1
Pezzone, M.A., Lee, W.-S., Hoffman, G.E. and Rabin, B.S.
Induction of c-Fos immunoreactivity in the rat forebrain by conditioned and unconditioned aversive stimuli (597) 41
Pierce, R.C., Miller, D.W., Reising, D.B. and Rebec, G.V.
Unilateral neostriatal kainate, but not 6-OHDA, lesions block dopamine agonist-induced ascorbate release in the neostriatum of freely moving rats (597) 138
Pollard, H.B., see Doron, D.A. (597) 346
Pontzer, N.J., Madamba, S., Siggins, G.R. and Crews, F.T.
Concentrations of carbachol stimulating phosphoinositide hydrolysis cause a sustained decrease in membrane potential and firing rate: role of inositol and inositol polyphosphate second messengers (597) 189

Rabin, B.S., see Pezzone, M.A. (597) 41
Ragozzino, M.E., Parker, M.E. and Gold, P.E.
Spontaneous alternation and inhibitory avoidance impairments with morphine injections into the medial septum. Attenuation by glucose administration (597) 241
Ransom, B.R., see Sontheimer, H. (597) 24
Rebec, G.V., see Pierce, R.C. (597) 138
Reising, D.B., see Pierce, R.C. (597) 138
Resko, J.A., see Choate, J.V.A. (597) 51
Rossi, F., see Maione, S. (597) 166

Sanchez-Andres, J.V., see Schreurs, B.G. (597) 99
Sánchez de la Cuesta, F., see De La Cruz, J.P. (597) 250
Saubermann, A.J., see Foster, M.C. (597) 181
Schön, H., see Adams, F.S. (597) 114
Schreurs, B.G., Sanchez-Andres, J.V. and Alkon, D.L.
GABA-induced responses in Purkinje cell dendrites of the rabbit cerebellar slice (597) 99
Schwarting, R.K.W., see Adams, F.S. (597) 114
Scott, C.W., see Caputo, C.B. (597) 227
Sepinwall, J., see Vincent, G.P. (597) 264
Shelton, S., see DeJesus, O.T. (597) 151
Shen, K.-F. and Crain, S.M.
Chronic selective activation of excitatory opioid receptor functions in sensory neurons results in opioid 'dependence' without tolerance (597) 74
Sheng, H., Hughes, M.L., Murad, F. and Briggs, C.A.
Evidence that nitric oxide mediates the cyclic GMP response to synaptic activity in the rat superior cervical ganglion (597) 343
Shibata, S., Tsuneyoshi, A., Hamada, T., Tominaga, K. and Watanabe, S.
Effect of substance P on circadian rhythms of firing activity and the 2-deoxyglucose uptake in the rat suprachiasmatic nucleus in vitro (597) 257
Siggins, G.R., see Pontzer, N.J. (597) 189
Sirén, A.-L., see Doron, D.A. (597) 346
Smith-Agreda, J.M., see De La Cruz, J.P. (597) 250
Smythe, G.A., see Storlien, L.H. (597) 60
Sobel, I.R.E., see Caputo, C.B. (597) 227
Sontheimer, H., Ransom, B.R. and Waxman, S.G.
Different $Na^+$ currents in P0- and P7-derived hippocampal astrocytes in vitro: evidence for a switch in $Na^+$ channel expression in vivo (597) 24
Spatz, M., see Doron, D.A. (597) 346
Stinus, L., see Cador, M. (597) 304
Stone, E.A. and John, S.M.
Stress-induced increase of extracellular levels of cyclic AMP in rat cortex (597) 144
Storlien, L.H. and Smythe, G.A.
D-Fenfluramine effects on hypothalamic monoamine activities and their hormonal correlates (597) 60
Suárez, C., see Newman, A. (597) 278
Sundberg, D.K., see Callahan, M.F. (597) 8
Sygowski, L.A., see Caputo, C.B. (597) 227

Takada, M., see Kondo, Y. (597) 155
Thore, C.R., see Callahan, M.F. (597) 8
Tokunaga, A., Ono, K., Ono, T. and Ogawa, M.
Magnocellular neurosecretory neurons with ferritin-like immunoreactivity in the hypothalamic supraoptic and paraventricular nuclei of the rat (597) 170
Tominaga, K., see Shibata, S. (597) 257
Tsuneyoshi, A., see Shibata, S. (597) 257

Ueno, S., Ishibashi, H. and Akaike, N.
Perforated-patch method reveals extracellular ATP-induced $K^+$ conductance in dissociated rat nucleus solitarii neurons (597) 176
Uno, H., see DeJesus, O.T. (597) 151

Vanderwolf, C.H., see Watson, N.V. (597) 16
Villalobos, M.A., see De La Cruz, J.P. (597) 250
Vincent, G.P. and Sepinwall, J.
AF102B, a novel $M_1$ agonist, enhanced spatial learning in C57BL/10 mice with a long duration of action (597) 264

Vitagliano, S., see Maione, S. (597) 166
Von B. Ahern, K., see Lustig, H.S. (597) 148

Watanabe, S., see Shibata, S. (597) 257
Watson, N.V., Hargreaves, E.L., Penava, D., Eckel, L.A. and Vanderwolf, C.H. Serotonin-dependent cerebral activation: effects of methiothepin and other serotonergic antagonists (597) 16
Waxman, S.G., see Sontheimer, H. (597) 24

Yamakawa, T., Fukunaga, K., Higashida, H. and Miyamoto, E. Activation of $Ca^{2+}$/calmodulin-dependent protein kinase II by stimulation with bradykinin in neuroblastoma × glioma hybrid NG108–15 cells (597) 220
Yasui, Y., see Kondo, Y. (597) 155
Yen, S.-H., see Ksiezak-Reding, H. (597) 209
Yoshimatsu, H., Egawa, M. and Bray, G.A. Effects of cholecystokinin on sympathetic activity to interscapular brown adipose tissue (597) 298
Yoshimoto, M., see Kobayashi, S. (597) 350

Zagami, A.S., see Lambert, G.A. (597) 321